



Element
Suite 100, 328 Ley Road
Fort Wayne, Indiana
46825, United States

T: +1 (260) 471-7000
F: +1 (260) 471-7777
E: Info.FortWayne@element.com
W: www.element.com

October 28, 2022

Ken Myers
East Chicago Sanitary District
5201 Indianapolis Blvd
East Chicago, IN 46312

RE: CSO 003

Dear Ken Myers:

Lot Id: 129168

Element Materials Technology – Fort Wayne received 7 sample(s) on 10/19/2022 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Megan Krauskopf
Project Manager
Suite 100, 328 Ley Road,
Fort Wayne, IN 46825

Accreditation	Cert #
TNI:2016 (Florida)	E871168
ISO 17025:2017 (A2LA)	6190.02
Indiana	M-02-05
Michigan	9030
South Dakota	--
Tennessee	04911

Analytical Report

Bill To: East Chicago Sanitary District 5201 Indianapolis Blvd East Chicago, IN, United States 46312	Project ID: CSO 003 Project Name: Project Location: LSD: P.O.:	Lot ID: 129168 Control Number: Date Received: Oct 19, 2022 Date Reported: Oct 28, 2022 Report Number: 229765
Attn: Ken Myers Sampled By: HP Company:	Proj. Acct. code:	

Reference Number	129168-1	Sample Date	2022-10-19 10:14			
Sample Description	CSO 003	Sample Matrix	Wastewater			
Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Subcontracted Services						
Subcontractor Report ID	180-146539-1		1		Oct 24, 2022 13:15	MK
Cyanide, Available	<0.002	mg/L	1	0.002	Oct 21, 2022 12:20	MK

Reference Number	129168-2	Sample Date	2022-10-19 10:14			
Sample Description	CSO 003	Sample Matrix	Wastewater			
Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Aggregate Organic Constituents						
Oil & Grease, Total	<5	mg/L	1		Oct 25, 2022 19:05	SK
Oil & Grease, Total	Calculated Reporting Limit	mg/L	1		Oct 25, 2022 19:05	SK

Reference Number	129168-3	Sample Date	2022-10-19 10:14			
Sample Description	CSO 003	Sample Matrix	Wastewater			
Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Microbiology						
Escherichia coli	Multi Well	MPN/100mL	1	1	Oct 19, 2022 18:00	CS

Reference Number	129168-4	Sample Date	2022-10-19 10:14			
Sample Description	CSO 003	Sample Matrix	Wastewater			
Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Subcontracted Services						
Subcontractor Report ID	28.6		1		Oct 25, 2022 07:24	MK

Reference Number	129168-5	Sample Date	2022-10-19 10:14			
Sample Description	CSO 003	Sample Matrix	Wastewater			
Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Aggregate Organic Constituents						
Biochemical Oxygen Demand	BOD	mg/L	1	2	Oct 20, 2022 15:30	AS
Physical and Aggregate Properties						
Total Suspended Solids	Non-Filterable Residue	mg/L	1	2	Oct 20, 2022 12:30	AS
Routine Water						
Chloride		mg/L	5	2	Oct 21, 2022 17:54	RB
Sulfate		mg/L	5	2	Oct 21, 2022 17:54	RB

Analytical Report

Bill To: East Chicago Sanitary District 5201 Indianapolis Blvd East Chicago, IN, United States 46312	Project ID: CSO 003 Project Name: Project Location: LSD: P.O.:	Lot ID: 129168 Control Number: Date Received: Oct 19, 2022 Date Reported: Oct 28, 2022 Report Number: 229765
Attn: Ken Myers Sampled By: HP Company:	Proj. Acct. code:	

Reference Number 129168-6	Sample Date 2022-10-19 10:14
Sample Description CSO 003	Sample Matrix Wastewater

Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Metals - Total in Water by ICP-MS						
Cadmium Total	<0.0002	mg/L	1	0.0002	Oct 24, 2022 07:15	FR
Chromium Total	0.0009	mg/L	1	0.0004	Oct 24, 2022 07:15	FR
Copper Total	0.0003	mg/L	1	0.0002	Oct 24, 2022 07:15	FR
Lead Total	0.0006	mg/L	1	0.0002	Oct 24, 2022 07:15	FR
Nickel Total	0.002	mg/L	1	0.001	Oct 24, 2022 07:15	FR
Zinc Total	0.0059	mg/L	1	0.0004	Oct 24, 2022 07:15	FR

Reference Number 129168-7	Sample Date 2022-10-19 10:14
Sample Description CSO 003	Sample Matrix Wastewater

Analyte	Result	Units	DF	Nominal DL	Analysis Start Date/Time	Analyst Initials
Inorganic Nonmetallic Parameters						
Nitrogen, Ammonia (As N)	0.3	mg/L	1	0.1	Oct 24, 2022 10:22	AS
Nitrogen, Nitrate + Nitrite (As N)	1.1	mg/L	1	0.1	Oct 26, 2022 15:39	RW
Total Phosphorus	<0.1	mg/L	1	0.1	Oct 27, 2022 16:54	JB
Total Kjeldahl Nitrogen	1.7	mg/L	1	0.5	Oct 28, 2022 12:20	AS
Total Nitrogen	2.8	mg/L	1	0.5	Oct 28, 2022 12:20	AS

Approved by: 
Megan Krauskopf
Project Manager

Methodology and Notes

Bill To: East Chicago Sanitary District 5201 Indianapolis Blvd East Chicago, IN, United States 46312	Project ID: CSO 003	Lot ID: 129168
Attn: Ken Myers	Project Name:	Control Number:
Sampled By: HP	Project Location:	Date Received: Oct 19, 2022
Company:	LSD:	Date Reported: Oct 28, 2022
	P.O.:	Report Number: 229765
	Proj. Acct. code:	

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Ammonia-N by FIA	EPA	Determination of Ammonia Nitrogen by Semi-Automated Colorimetry, E350.1	Oct 24, 2022	Fort Wayne
Anions by IC in Water	EPA	Determination of Inorganic Anions by Ion Chromatography, E300.0	Oct 21, 2022	Fort Wayne
BOD and CBOD in water	SMEWW	BOD: 5-Day Test, 5210B	Oct 20, 2022	Fort Wayne
Coliforms by Quantitray	SMEWW	Enzyme Substrate Test, 9223B	Oct 19, 2022	Fort Wayne
External Sublet Data Entry	Ext. Lab	External Lab, Ext. Lab	Oct 21, 2022	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Oct 24, 2022	Fort Wayne
Nitrate Nitrite in Water by FIA	EPA	Determination of Nitrate-Nitrite Nitrogen by Automated Colorimetry, E353.2	Oct 26, 2022	Fort Wayne
Oil and Grease	EPA	n-Hexane Extractable Material (HEM; Oil and Grease) and Silica Gel Treated n-Hexane Extractable Material (SGT-HEM; Non-polar Material) by Extraction and Gravimetry, E1664	Oct 25, 2022	Fort Wayne
Phosphorus Total in Water by FIA	SMEWW	Phosphorus: Automated Ascorbic Acid Reduction Method, 4500-P F	Oct 27, 2022	Fort Wayne
Solids - Suspended	SMEWW	Total Suspended Solids, 2540D	Oct 20, 2022	Fort Wayne
Sublet to Purves Environmental	Ext. Lab	External Lab, Ext. Lab	Oct 25, 2022	Purves Environmental Inc.
Sublet to Test America-Pittsburgh	Ext. Lab	External Lab, Ext. Lab	Oct 24, 2022	Test America-Pittsburgh
TKN in Water by FIA	Calculated	Calculated Result, Calculated	Oct 28, 2022	Fort Wayne
TKN in Water by FIA	EPA	Total Kjeldahl Nitrogen by Semi-Automated Colorimetry, E351.2	Oct 28, 2022	Fort Wayne

References

Calculated	Calculated Result
EPA	United States Environmental Protection Agency
Ext. Lab	External Laboratory
SMEWW	Standard Methods for the Examination of Water and Wastewater

Comments:

- Oct 24, 2022 - The Available Cyanide testing was subcontracted to Eurofins/Test America Pittsburgh PA. Their report is attached in its entirety.
- Oct 25, 2022 - The low level mercury testing was subcontracted to Purves Environmental. Their report is attached in its entirety. (BRL = Below Reporting Limit).
- Oct 26, 2022 - The dilution water blank for the BOD analysis was outside of acceptance limits. This data is accepted based on acceptable recoveries in additional associated QC.

Methodology and Notes

Bill To:	East Chicago Sanitary District	Project ID:	CSO 003	Lot ID:	129168
	5201 Indianapolis Blvd	Project Name:		Control Number:	
	East Chicago, IN, United States	Project Location:		Date Received:	Oct 19, 2022
	46312	LSD:		Date Reported:	Oct 28, 2022
Attn:	Ken Myers	P.O.:		Report Number:	229765
Sampled By:	HP	Proj. Acct. code:			
Company:					

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Report Transmission Cover Page

Bill To: East Chicago Sanitary District 5201 Indianapolis Blvd East Chicago, IN, United States 46312	Project ID: CSO 003 Project Name: Project Location: LSD: P.O.:	Lot ID: 129168 Control Number: Date Received: Oct 19, 2022 Date Reported: Oct 28, 2022 Report Number: 229765
Attn: Ken Myers Sampled By: HP Company:	Proj. Acct. code:	

Contact	Company	Address
Ken Myers	East Chicago Sanitary District	5201 Indianapolis Blvd East Chicago, IN 46312 Phone: (219) 391-8466 Fax: Email: kmyers@eastchicago.com

Delivery	Format	Deliverables
Email - Merge Deliverables	PDF	COC / Test Report
Email - Multiple Deliverables By Lot	East Chicago	Test Report

Contact	Company	Address
Megan Krauskopf	East Chicago Sanitary District	Fort Wayne, IN null Phone: (260) 471-7000 Fax: Email: megan.krauskopf@element.com

Delivery	Format	Deliverables
Email - Single Deliverable	East Chicago	Test Report

Contact	Company	Address
San Operator	East Chicago Sanitary District	5201 Indianapolis Blvd. East Chicago, IN 46312 Phone: (219) 391-8466 Fax: Email: sanoperator@eastchicago.com

Delivery	Format	Deliverables
Email - Merge Deliverables	PDF	COC / Test Report
Email - Multiple Deliverables By Lot	East Chicago	Test Report

Notes To Clients:

- Oct 24, 2022 - The Available Cyanide testing was subcontracted to Eurofins/Test America Pittsburgh PA. Their report is attached in its entirety.
- Oct 25, 2022 - The low level mercury testing was subcontracted to Purves Environmental. Their report is attached in its entirety. (BRL = Below Reporting Limit).
- Oct 26, 2022 - The dilution water blank for the BOD analysis was outside of acceptance limits. This data is accepted based on acceptable recoveries in additional associated QC.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.



External Sublet Request

Purchase Order Number: PO# *P1FW002597*

Printed Date: Oct 19, 2022
Shipping Method: Ground

To:
Attn: Melissa Kimbrough
Purves Environmental Inc.
77 Maple Drive
Hudson, OH 44236
Phone: (330) 687-3360
Fax:
Email: m-kimbrough1@hotmail.com

Results To:
Fort Wayne
Suite 100, 328 Ley Road
Fort Wayne, IN 46825
Phone: (260) 471-7000
Fax: (260) 471-7777
Email: Info.FortWayne@element.com

Bill To:
Attn: Accounts Payable
Element Materials Technology Canada Inc.
3701 Port Union Road
Fairfield OH 45014
United States
Phone: (513) 984-4112
Fax: (513) 984-8258
Email: accpayable.americas@element.com
wregpurch@element.com

Please contact the requisitioner named below with all questions related to this purchase order.

**** THE PURCHASE ORDER NUMBER MUST APPEAR ON ALL INVOICES. INVOICES MUST BE SENT TO BOTH BILL TO EMAIL ADDRESSES. ****

Due Date	Requisitioner	Sample Id	Sampled Date	Element Service Code	Vendor Service Code	Service Name	Sample Description
<i>10/26</i> Nov 2, 2022	John Himmelick	129168 - 4	Oct 19, 2022 10:14	HG LL	HG LL	Mercury, Low Level	CSO 003
						Temp of Samples _____ °C	Attempt to Cool? Y / N
1	<i>John Kimbrough</i>	10-19-22 1800	<i>John Kimbrough</i>		<i>10/20/22 0800</i>	Comments:	
2							
3							

The standard terms and conditions of purchase below are included in each purchase order (PO) of Element Materials Technology Canada Inc. and its subsidiaries (Element) as part of its contract with a supplier of goods and/or services (Vendor). Any Vendor terms and conditions of supply do not apply unless Element agrees in writing. Where terms and conditions exist under an existing written contract between Element and a Vendor, these terms and conditions do not apply.

NOTE: Element Materials Technology Canada Inc. is not an exempt entity and subject to GST, HST, QST and applicable provincial sales taxes.

Terms and Conditions: <http://www.element.com/terms/term-conditions>

Purves Environmental, Inc.

Mercury Analysis

Analytical Report
EPA Method 1631E

Report #: 221025-01 Element FW

Page 1 of 1

Customer Name:

Element Materials Technology
328 Ley Rd.
Fort Wayne, Indiana 46825

10/25/22

Attention:

Project/PO#

emt01

Lab /(Field ID) or (Customer ID)	Results ng/L	Results ng/L	Results ng/L	Results ng/L	Purves Env ID
129168-4	28.6				221020-01
Sample Type	Wastewater				
Date Sampled:	10/19/22				
Date Received:	10/20/22				
Date Prepared:	10/20/22				
Date Analyzed:	10/25/22				
Time Analyzed	7:24:29 AM				
Dilution Factor					
High Cal Range Used 1-1000 ng/L					QCS/MS/MSD
Method Detection Limit	0.2ng/L				Acceptable Range
QCS (Quality Control Standard)	93%				71-125%
Method Blank Result	<0.2	Method Blank Requirement			<0.2

M= Modified: See Below for Explanation

Dilution Factors are calculated into the results.

Method Reporting Limit

0.5ng/L

RPD Acceptable Range <20%

Matrix Spike/ Matrix Spike Duplicate Recoveries

MS/MSD Acceptable Range

71-125%

Sample ID

MS %Recovery

MSD %Recovery

RPD

221020-01

91.9%

88.4%

3.9%

Normal Calibration range 0.5-100ng/L

The results are related only to the samples presented on this report.

The test results are certified to meet all requirements of the certifying authority

West Virginia Cert # 348

Other Codes

J* = Estimated result ,

* A value found between the Reporting Limit and the Method Detection Limit is considered estimated

or the sample was not received in proper condition as required by the method.

R* = Rejected, Sample may not have met Method or sampling requirements.

CLYM

William W. Purves



Rev 4 6/23/11

ANALYTICAL REPORT

Eurofins Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-146539-1

Client Project/Site: Available Cyanide 129168

For:

Element Materials Technology
328 Ley Rd
Suite100
Fort Wayne, Indiana 46825

Attn: Don Ellis



Authorized for release by:

10/24/2022 11:22:24 AM

Khadejha Brown, Project Management Assistant I

(412)963-7058

Khadejha.Brown@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Certification Summary	5
Sample Summary	6
Method Summary	7
Lab Chronicle	8
Client Sample Results	9
QC Sample Results	10
QC Association Summary	11
Chain of Custody	12
Receipt Checklists	13

Case Narrative

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Job ID: 180-146539-1

Laboratory: Eurofins Pittsburgh

Narrative

Job Narrative
180-146539-1

Comments

No additional comments.

Receipt

The sample was received on 10/20/2022 9:00 AM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.1° C.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Definitions/Glossary

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Element Materials Technology
 Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Laboratory: Eurofins Pittsburgh

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arkansas DEQ	State	19-033-0	06-27-22 *
California	State	2891	04-30-23
Connecticut	State	PH-0688	09-30-22 *
Florida	NELAP	E871008	10-23-22
Georgia	State	PA 02-00416	10-23-22
Illinois	NELAP	004375	10-23-22
Kansas	NELAP	E-10350	10-23-22
Kentucky (UST)	State	162013	04-30-23
Kentucky (WW)	State	KY98043	12-31-22
Louisiana	NELAP	04041	06-30-22 *
Louisiana (All)	NELAP	04041	10-23-22
Maine	State	PA00164	03-06-24
Minnesota	NELAP	042-999-482	10-23-22
New Hampshire	NELAP	2030	10-23-22
New Jersey	NELAP	PA005	10-23-22
New York	NELAP	11182	10-23-22
North Carolina (WW/SW)	State	434	12-31-22
North Dakota	State	R-227	10-23-22
Oregon	NELAP	PA-2151	10-23-22
Pennsylvania	NELAP	02-00416	10-23-22
Rhode Island	State	LAO00362	12-31-22
South Carolina	State	89014	04-20-23
Texas	NELAP	T104704528	10-23-22
USDA	US Federal Programs	P330-16-00211	06-21-24
Utah	NELAP	PA001462019-8	10-23-22
Virginia	NELAP	10043	10-23-22
West Virginia DEP	State	142	10-23-22
Wisconsin	State	998027800	08-31-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.



Sample Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
180-146539-1	129168-1	Water	10/19/22 10:14	10/20/22 09:00

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Method	Method Description	Protocol	Laboratory
OIA - 1677	Available Cyanide by Flow Injection, Lig	EPA	EET PIT

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058



Lab Chronicle

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Client Sample ID: 129168-1

Lab Sample ID: 180-146539-1

Date Collected: 10/19/22 10:14

Matrix: Water

Date Received: 10/20/22 09:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	OIA - 1677		1			415880	10/21/22 12:20	SNR	EET PIT

Instrument ID: ALPKEM3

Laboratory References:

EET PIT = Eurofins Pittsburgh, 301 Alpha Drive, RIDC Park, Pittsburgh, PA 15238, TEL (412)963-7058

Analyst References:

Lab: EET PIT

Batch Type: Analysis

SNR = Sabra Richart



Client Sample Results

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Client Sample ID: 129168-1

Lab Sample ID: 180-146539-1

Date Collected: 10/19/22 10:14

Matrix: Water

Date Received: 10/20/22 09:00

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available (EPA OIA - 1677)	ND		0.0020	0.0016	mg/L			10/21/22 12:20	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: Element Materials Technology
 Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

Method: OIA - 1677 - Available Cyanide by Flow Injection, Lig

Lab Sample ID: MB 180-415880/22
Matrix: Water
Analysis Batch: 415880

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Available	ND		0.0020	0.0016	mg/L	-		10/21/22 11:58	1

Lab Sample ID: LCS 180-415880/23
Matrix: Water
Analysis Batch: 415880

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Cyanide, Available	0.0501	0.0488		mg/L	-	97	82 - 132



QC Association Summary

Client: Element Materials Technology
Project/Site: Available Cyanide 129168

Job ID: 180-146539-1

General Chemistry

Analysis Batch: 415880

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
180-146539-1	129168-1	Total/NA	Water	OIA - 1677	
MB 180-415880/22	Method Blank	Total/NA	Water	OIA - 1677	
LCS 180-415880/23	Lab Control Sample	Total/NA	Water	OIA - 1677	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13



External Sublet Request

Purchase Order Number: PO# P/FW002598
Printed Date: Oct 19, 2022
Shipping Method: Ground

To:
 Attn: Sample Receiving
 Test America-Pittsburgh
 301 Alpha Dr
 Pittsburgh, PA 15238
 Phone: (412) 111-1111
 Fax:
 Email:

Results To:
 Fort Wayne
 Suite 100, 328 Ley Road
 Fort Wayne, IN 46825
 Phone: (260) 471-7000
 Fax: (260) 471-7777
 Email: Info.FortWayne@element.com

Bill To:
 Attn: Accounts Payable
 Element Materials Technology Canada Inc.
 3701 Port Union Road
 Fairfield OH 45014
 United States
 Phone: (513) 984-4112
 Fax: (513) 984-8258
 Email: accpayable.americas@element.com,
 wregpurch@element.com


Please contact the requisitioner named below with all questions related to this purchase order.

**** THE PURCHASE ORDER NUMBER MUST APPEAR ON ALL INVOICES. INVOICES MUST BE SENT TO BOTH BILL TO EMAIL ADDRESSES. ****

Due Date	Requisitioner	Sample Id	Sampled Date	Element Service Code	Vendor Service Code	Service Name	Sample Description
Oct 26, 2022	John Himelick	129168 - 1	Oct 19, 2022 10:14	CYAN 1677	CYAN 1677	Cyanide, Available by CSO 003 Ligand Exchange	

Relinquished By	Date/Time	Received By	Date/Time	Temp of Samples	Attempt to Cool? Y / N
Joe A	10-19-22 1800	<i>[Signature]</i>	10/20/22 900	_____ °C	
2					
3					

Comments:



The standard terms and conditions of purchase below are included in each purchase order (PO) of Element Materials Technology Canada Inc. and its subsidiaries (Element) as part of its contract with a supplier of goods and/or services (Vendor). Any Vendor terms and conditions of supply do not apply unless Element agrees in writing. Where terms and conditions exist under an existing written contract between Element and a Vendor, these terms and conditions do not apply.

NOTE: Element Materials Technology Canada Inc. is not an exempt entity and subject to GST, HST, QST and applicable provincial sales taxes.

Terms and Conditions <http://www.element.com/terms-and-conditions>



Login Sample Receipt Checklist

Client: Element Materials Technology

Job Number: 180-146539-1

Login Number: 146539

List Source: Eurofins Pittsburgh

List Number: 1

Creator: Abernathy, Eric L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





element

Chain of Custody

Laboratory Number: 129168

Company Name:	East Chicago Sanitary District	Billing Information:	Same	PO Number:	Project Name/Number:	Page 1 of 1
Contact Name:	Henry Padilla				CSO 003	Matrix Code DW = Drinking Water WW = Waste Water GW = Ground Water AQ = Aqueous OT = Other SL = Sludge SOL = Solid O = Oil SO = Soil F = Food SW = Swab NG = Natural Gas NGL = Natural Gas Liquid PW = Produced Water CF = Completion Fluid
Address:	5201 Indianapolis Blvd			Quote Number:	<i>Henry Padilla</i>	
City, State Zip:	East Chicago IN 46401			Required QC Level		
Phone Number:	219-391-8466 Ext. 240		Ext:	Bill Monthly <input type="checkbox"/> Yes <input type="checkbox"/> No		Shipping Method: UPS / FedEx / Airborne DHL / Element / Hand / Mail
Fax Number:						
E-mail Address:	hpadilla@eastchicago.com					

Which Regulations Apply: <input type="checkbox"/> RCRA <input type="checkbox"/> Drinking Water <input type="checkbox"/> POTW <input type="checkbox"/> Distribution <input type="checkbox"/> NPDES <input type="checkbox"/> Special <input type="checkbox"/> USDA/FDA <input type="checkbox"/> State <input type="checkbox"/> RECAP/RISC <input type="checkbox"/> Other	Turn Time 5 TAT	Collection Information (Rush turn times will incur a surcharge and must be pre-approved by lab.)			Container		Pres. HCl, HNO ₃ , H ₂ SO ₄ , NaOH, Na ₂ S ₂ O ₃	Requested Tests										Comments	
					Quantity	Type P=Plastic, G=Glass, V=Vial		Matrix	CYANIDE 1677	Oil & Grease	E. coli	300: Chlor, SO4	*Metals	NH ₃ , T. Phos, Total N	TSS, BOD	Low level Hg			
Sample ID/Description					Date	Time	Grab / Composite												
CSO 003					10-19-22	10:14	G	WW	1	P	NAOH	X							Samples Meet Acceptance Policy <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No *Cd, Cr, Cu, Pb, Ni Zn Low level Hg is once a week F596 PPP
								WW	1	G	H2SO4		X						
								WW	1	G	Na2S2O3			X					
								WW	1	G	BrCl						X		
								WW	2	P	NONE			X		X			
								WW	1	P	HNO3			X					
								WW	1	P	H2SO4				X				

#	Relinquished by	Date/Time	Received by	Date/Time	Composite Sampler:
1	<i>John DeL...</i>	10/19/22 1:00 PM	<i>John DeL...</i>	10-19-22- 1300	Start Date/Time: _____ End Date/Time: _____
2	<i>R M...</i>	10-19-22- 1715	<i>John DeL...</i>	10/19/22 17:15	Received at lab on ice? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Temp: 3.2°C
3					

All samples submitted to Element Materials Technology for analysis are accepted on a custodial basis only. Ownership of the material remains with the client. Element Materials Technology reserves the right to return unused sample portions.

Lot: 129168 COC

8800 North US 31 Columbus, IN 47201 USA F 574-267-5526	328 Ley Road, Suite 100 Fort Wayne, IN 46825 USA F 574-267-5260	909 Executive Dr. Warsaw, IN 46580 USA F 574-267-3305	3371 F 337-2000
---	--	--	--------------------

